

**NOTICE OF PERMIT HEARING OF THE  
CLEARWATER UNDERGROUND WATER CONSERVATION DISTRICT**

Notice is hereby given that the Board of Directors for the Clearwater Underground Water Conservation District will conduct a hearing on the Application for an Operating Permit described below at 1:30 p.m. Wednesday, September 20, 2017 at 700 Kennedy Court, Belton, Texas, in compliance with the Texas Open Meetings Act.

The hearing will be conducted on the following application:

Applicant's File Number	Permit Applicant/Holder and Landowner	Location of Well	Proposed Annual Groundwater Withdrawal Amount & Purpose of Use
<b>Aggregate Operating Permit</b>  System Split Site  <b>Well #2</b> (N2-14-005P)	Central Texas Water Supply Corporation  c/o: Lee Kelley 4020 Lake Cliff Drive Harker Heights, TX 76548	<b>Well #2:</b>  10-acre site located at System Split Pump Station Burgess Rd. and FM 436, Academy, TX Latitude 30.981388° Longitude -97.330611°	<b>Aggregate Operating Permit with "30 yr Specific Growth Provisions" at Split System Site Well #2 (N2-14-005P)</b> for a new well with up to an 8-inch column pipe, up to 1400 gpm for a maximum of 1776 ac-ft/year or 558,711,376 gallons per year subject to a maximum 2421 ac-ft/year or 778,885,271 gallons per year to account for growth and demand in a two well aggregated (with Well #1) amount from the Hosston Layer of the Trinity Aquifer for public water supply use.
<b>Operating Permit amendment to an Aggregate Operating Permit</b>  Doc Curb Site  <b>Well #1</b> (N2-14-004P)	Central Texas Water Supply Corporation  c/o: Lee Kelley 4020 Lake Cliff Drive Harker Heights, TX 76548	<b>Well #1:</b>  78 acre tract located at Doc Curb Pump Station West Amity Road Salado, TX Latitude: 30.993361° Longitude: -97.542527°	<b>Aggregate Operating Permit with "30 yr Specific Growth Provisions" at Doc Curb Site Well #1 (N2-14-004P)</b> for an existing well with a 6-inch column pipe, up to 450 gpm, for maximum 726 ac-ft/year or 236,567,826 gallons per year in a two well aggregated (with Well #2) amount from the Hosston Layer of the Trinity Aquifer for public water supply use.
<b>Proposed Operating Permit amendment to aggregate Export Provisions to the two well system:</b> System Split Site <b>Well #2 (N2-14-005P)</b> Doc Curb site <b>Well #1 (N2-14-004P)</b>	Central Texas Water Supply Corporation  c/o: Lee Kelley 4020 Lake Cliff Drive Harker Heights, TX 76548	<b>Well #2:</b> 10-acre site located at System Split Pump Station Burgess Rd. and FM 436, Academy, TX Latitude 30.981388° Longitude -97.330611° <b>Well #1:</b> 78-acre tract located at Doc Curb Pump Station, West Amity Road Salado, TX Latitude: 30.993361° Longitude: -97.542527°	<b>Proposed annual aggregate export provision of 40% of the total annual aggregate operating permit.</b> The maximum export provision for 2017-2022 is 710 ac-ft/year or 231,354,210 gallons per year with specific growth provisions expressed in five year increments determined by aquifer conditions.
N1-17-007P  Combination Drilling/ Operating Permit	Robert and Victoria Lewis 3819 Quail Hollow Rd. Harker Heights, TX 76548	3.88-acre tract located off Chaparral Rd., Killeen, TX Latitude 31.02054° Longitude -97.66451°	.82 acre-feet or 267,720 gallons per year total, from the Hensell Layer of the Trinity Aquifer to produce groundwater for domestic use.

The Applications for Permit, if granted, would authorize the permit holders to operate a well within the Clearwater Underground Water Conservation District according to the terms and conditions set forth in the permit.


If you would like to support, protest, or provide comments on this application, you must comply with District Rule 6.10 and either appear at the hearing or submit a written Contested Case Hearing Request that complies with District Rule 6.10 and that must be received by the District prior to the date of the hearing. A person wishing to submit a Contested Case Hearing Request who is unable to appear at the hearing on the date and time set forth above must also file a motion for continuance with CUWCD demonstrating good cause for the inability to appear. For additional information about this application or the permitting process, or to request information on the legal requirements on what MUST be included in a Contested Case Hearing Request to be valid, please contact the CUWCD at 700 Kennedy Court, Belton, Texas, 76513, 254-933-0120.

ISSUED this 8<sup>th</sup> day of September, 2017, in Belton, Texas, on the recommendation of the General Manager.

I, the undersigned authority, do hereby certify that the above NOTICE OF PERMIT HEARING of the Board of Directors of the Clearwater Underground Water Conservation District is a true and correct copy of said Notice. I have posted a true and correct copy of said Notice at the District office located in Belton, Texas, and said Notice was posted on September 8, 2017, and remained posted continuously for at least 10 (ten) days immediately preceding the day of said hearing; a true and correct copy of said Notice was furnished to the Bell County Clerk, in which the above named political subdivision is located.

**Dated: September 8, 2017**

Clearwater Underground Water Conservation District

By:   
 Dirk Aaron, Assistant Secretary