Clearwater Underground Water Conservation District

P.O. Box 1989, Belton, TX 76513 Phone: 254/933-0120 Fax: 254/933-8396

APPLICATION I R PERMIT

NON-EXEMPT WELLS

Classification 1

A NON-EXEMPT WELL, CLASSIFICATION 1, is a well that satisfies the following conditions:

A water well used for **domestic purposes or for watering livestock or poultry** that is drilled, equipped or completed so that it is incapable of producing more than 25,000 gallons per day, and is located on a tract of land consisting of less than 10 acres and great than or equal to 2 acres as of March 1, 2004.

Any water well used for other purposes or that is capable of producing more than 25,000 gallons per day, is a Non-Exempt Welt, Classification 2. Applicant must complete a different form—Application for Permit, Non-Exempt Welts, Classification 2.

C	heck one of the following:	
	COMBINATION DRILLING / OPERATING PERMIT	PERMIT AMENDMENT
	(Complete Sections all sections) New Well	Modify Drilling Permit
	Replacement Well	(Complete Sections 1, 2, 3, 4 & 6) Modify Operating Permit
	** Per Rule District Rule 9.3 and State Law TDLR all State of Texas Well Reports are due to the District within 60 days of well completion.	(Complete Sections 1, 5 & 6) Change in Well Ownership (Complete Sections 1 & 6)
	*** NEW Per District Rule 9.3.3 at completion of all wells Water Quality Assessment is required by the Pump Installer and/or Well Driller. District Staff will provide screen test, sample bottles, and coordinate with Pump Installer or Driller to retrieve the sample within 45 days of the well completion. Temporary pump to purge the well is required should the well not have pump permanently installed in first 45 days	Other Explain:
	See Permit Terms, Spacing/Acreage Requirements, and Notice Requirements on the back	side of this form.
1.	Owner Information Note: If well owner is different from property owner, provide documentation from construction and operation. Discrete new stagnage docs.	com
	Well Owner: Pycy in Part Telephon	e No.: 254-733-5591
	Well Owner: Bjern Dall Telephon Address: 13115 State Highway 317 Temple (Street or P.O. Box) (City)	(State) (Zip Code)
	Contact Person (if other than owner): JT Kelley Telephon JTKelley, JTS vuccelov A KS C	
	JTKEIRY, JTSVOCKTOVA KS (If ownership of well has changed, name of previous owner	State Well No
2.	Property Location and Proposed Well Location	
	Owner of property (if different from well owner):	
	Property is located miles of (Number) (N, S, E, W) (Nearest City or	on
	Acreage: 6.6 Bell CAD Property ID#: 501566 Latitude: 31-17498	Longitude: -97.4/298
3.	Well Description a. Proposed use of well and estimated amount of water to be used for each purpose: *Domestic;Livestock; *Total number of houses to be serviced by the well	Poultry.
	b. Estimated distance from nearest: 2CT N/S Property Line: 2CC E/W Property Line: 1/6 N/C River, Stream or Lake: 1/2 Existing Water Well: 1/2 Other Source of Contamination (cemetery, pesticide mixing/loading.	Livestock Enclosure; petroleum storage tank, etc.
	c. Estimated rate of withdrawal 15 971M d. Is property subject to flo	ooding: Yes / 🛇
		ti-well aggregate system? Yes / No
	 g. Attach the following: tax plat map indicating the location of the proposed well or the existing well to adjacent owners' physical addresses and mailing addresses. (BellCAD maps are Indicate the location of the proposed well or the existing well to be modified with the well from property lines. 	sufficient if current and accurate)

NOTE: If this is a replacement well, indicate location of well that is being replaced and distance from the proposed well. Abandoned well must be properly capped or plugged in accordance with state law and the rules of the District.

me: Tom Lovelace	TDLR Pump Installer License Number: 4930
dress:(Street or P.O. Box)	TDLR Well Drillers License Number: 4920
(Street or P.O. Box)	Comments/notes
(City) (State) (Zip Code)	
254-760-1600 (Phone #) (Fax #)	(E-mail address)
Completion Information	
well. Well must be drilled within 30 feet of the location sp than the District's minimum spacing rule requires.	nanical log, or chemical analysis, within 60 days of completion pecified and not closer to any existing well or authorized well si
If amending existing permit, explain requested amendment	and reason for amendment:
Latitude: 31.17488 N; Longitude: -97	4(298 W; Elevation: feet (ft) above ms
Completion Date: ; Driller: Tom Love	Cace : License No.: 4920
Total Depth of Well: LOSO ft; Borchole Diameter (Dia)	Linches (in) from \underline{C} to \underline{bC} ; Dia. (2) $\underline{8}$ in. from \underline{bC} to \underline{tCS}
	inches (in); Welded / Threaded / Bell Joint; Depth / OSC
· · · · · · · · · · · · · · · · · · ·	5 in from 1000 to 1080 ft; Packing Yes Yo; Type
Pump Type: Submersible; Other	Power: Electric ; Other
	in; Depth: 741 ft; Discharge Rate: 15 gp
Column Pipe ID: 174 in; Discharge Pipe ID: 174	
Water Level: ft; Measured from	_
	above GL; after pumpinghours/minutes; Date
Water Bearing Formation: Middle Tornety	; Water Quality Analysis? Yes / No Date:
Annual Production NOTE: If requesting operating permits or permit renewals frequested below for each well.	or multiple wells, please attach a separate sheet with the informati
	Requested increase/decrease:
Include statement/documentation explaining requested prod	uction:
Number of contiguous acres owned or leased on which water	er is to be produced:acre
_	acre-feet or gallo
(Note: 1 acre-foot = 325.)	851 gallons)
Certification	
I hereby certify that the information contained herein is to abide by the terms of the District Rules, the District Manag with all District well plugging and capping guidelines as si	
I hereby certify that the information contained herein is to abide by the terms of the District Rules, the District Manag with all District well plugging and capping guidelines as significant to the District well as the Biovent Dalil as the Torn Livelius.	ement Plan, and orders of the Board of Directors. I agree to com tated in the District Rules.
I hereby certify that the information contained herein is to abide by the terms of the District Rules, the District Manag with all District well plugging and capping guidelines as si	ement Plan, and orders of the Board of Directors. I agree to com tated in the District Rules.

Estimate of Water Use/Needs:

Applicant name: Proposed CUWCD Well #: Bjorn Dahl N1-22-001P


Declare Usage Needs: Determined for each proposed non-exempt well

1)	*Domestic: 3 # of people per household x 1 home x 116 g/day/person = 348 x 365 days/325851 = 0.389 ac-ft/yr
2)	**Landscape Use (suggest that landscape watering be limited to 1500 square feet)
	gpm/zone x minutes each zone runs = gallons/zone
	gallons/zone X number of zones = gallons/day
	gallons/day xdays/wk system runs = gallons/wk
	gallons/wk x number of wks/year = gallons/year
	117,632 gallons per year / 325851 = 0.361 acre feet per year requested. * Landscape will be watered by hose.
	Total needs: Household: 126,756 gallons per year Landscape: 117,632 gallons per year
	Proposed Annual Production Amount: <u>244,388</u> gallons and/or <u>0.75</u> ac-ft/year

The above estimate is for groundwater needs for a well on a tract of land less than 10 acres and greater than 2 acres subdivided after March 1, 2004.

^{*}includes average household use for indoors and lawn irrigation.

^{**} is estimate of groundwater needs (annually) for just outside landscape use for an N1 well when the home is provided public water supply.



Staff Report

Application for Combination Drilling/Operating Permit N1-22-001P



Applicant/Owner:

Bjorn Dahl

13115 State Highway 317

Temple TX 76504

Location of Well:

6.00-acre tract located at 13115 State Highway Latitude 31.17488°/Longitude -97.41298°

Proposed Annual Withdrawal:	Proposed Use	Aquifer:	Nearest Existing Wells:
Initial Rate: 15-gpm		Middle Trinity	0 @ 1/4 mile 1 @ 1/2 mile
Column Pipe: 1 ¹ / ₄ inch	Domestic Use for home, landscape and garden		
Withdrawal: Proposed annual quantity not to exceed 0.75 acre-feet or 244,388 gallons per year			Note: The well within ½ mile is completed in the Upper Trinity (Glen Rose Layer)

General Information

Bjorn Dahl has submitted an application to the Clearwater Underground Water Conservation District (CUWCD) on March 24, 2022, for a combination drilling and operating permit to authorize drilling and withdrawal from a proposed new well.

This permit will authorize the withdrawal from a new well completed in the Middle Trinity Aquifer with a 1 ¼ inch column pipe on a 6.00-acre tract located at 13115 State Highway 317, Temple, Texas, Latitude 31.17488°/Longitude -97.41298° (well# N1-22-001P), to produce water for domestic use in a proposed annual quantity not to exceed 0.75 acre-feet or 244,388 gallons per year total.

This property lies within the Pendleton WSC CCN # 10003 (certificate of convenience and necessity). The property also lies within the Extraterritorial Jurisdiction of the City of Temple. The applicant has investigated with the Pendleton WSC for the possibility of public water supply delivery and <u>will</u> <u>testify</u> that public water is currently either not available or unaffordable, thus the need to pursue groundwater rather than public water supply for the purpose of domestic use for a new home.

Per Rules 6.9 and 6.10

In deciding whether or not to issue a permit, the Board must consider the following:

1. Does the application contain all the information requested, is the application accurate? Does it meet spacing and production limitations identified by District Rules, and does it conformed to all application requirements which include public notification and accompanied by the prescribed fees? (Rule 6.10.24(a)(b), TWC 36.116(a)(1), TWC 36.113(d)(1) and Rule 6.9.1(b)(1)(2)

The application is complete—all requested information has been provided. The application conforms to said rules with all required application fees. In addition, the applicant has met all notification requirements in a proper manner per District Rules.

2) Is the proposed use of water dedicated to a beneficial use? (TWC 36.113(d)(3) and District Rule 6.10.24 (d).

The groundwater produced for this well for domestic use for a new home, landscape, and garden plot.

3) Has the applicant agreed to avoid waste and achieve water conservation? (TWC 36.113(d)(6) and Rule 6.10.24(f)

The applicant should testify they understand per District Rules that by signing the application form the applicant agrees to state compliance with the District's Management Plan

Applicant should testify to the importance of water conservation measures and that options for outside water conservation are very limited and vital to the sustainability of the aquifer. The District hopes that the applicant states in testimony they do not intend to utilize the groundwater for extensive landscape purposes.

4) Has the applicant agreed that reasonable diligence will be used to protect groundwater quality and that the applicant will follow well plugging guidelines at the time of well closure? (TWC 36.113(d)(7) and Rule 6.10.24(g))

The applicant (by signing the application form) should offer testimony that if the well deteriorates over time or becomes damaged in such a way that the well is inoperable that state law and district rules require such a well to be plugged before a replacement well can be drilled.

5) Will the proposed water well comply with spacing and production limitations identified in our rules? (TWC 36.116(a)(1) and Rule 6.10.24(b)) and Rule 9.5.2

The proposed well will have a column pipe size not to exceed 1 ¼-inch. Based on this column pipe size, a minimum size tract of 2 acres is required, with a 100-foot spacing requirement from other wells. The 50-foot setback requirement from adjacent property lines be met for this proposed well and the possible future property lines. Testimony

per District Rule 9.5 Spacing Requirements that the applicant will adhere all spacing requirements.

The District rules do not impose production limitations other than those determined applicable in the review of today's permit request for a well to conduct the study. The applicant and/or their representative needs to understand that the operating permit for production must not cause an unacceptable level of decline in water quality of the aquifer, or as may be necessary to prevent waste and achieve water conservation, minimize as far as practicable the drawdown of the water table or the reduction of artesian pressure, lessen interference between wells, or control and prevent subsidence.

These issues are considered in Items 6 & 7 below and with staff recommendations to address potential concerns of adjacent property owners.

6) Will the proposed use of water unreasonably affect existing groundwater and surface water resources or existing permit holders?

Based upon available information, there are the following number of wells as defined for domestic use and completed, and active from the Middle Trinity Aquifer.

0 wells within 1/4 mile and 0 wells within 1/2 mile = 0 total

Mike Keester, RW Harden & Associates, has reviewed the application and has determined the anticipated drawdown, and has provided the <u>attached MK report</u>.

His conclusions and recommendations state that the proposed well will primarily be impacted by short-term production. He adds "that the nearest existing well may experience less than one foot (that is, negligible) drawdown due to the annual production. The Middle Trinity in the area has approximately 400 feet of artesian pressure and with a negligible amount of long- term drawdown, the proposed well should be able to produce the proposed amount without significant impact on water levels. Continued water level monitoring will aid in assessing the long-term effects of cumulative groundwater production in the area.

Additionally, the District, to the extent possible, must issue permits up to the point the total volume of exempt and permitted groundwater production will achieve the applicable Desired Future Condition (DFC) per TWC 36.1132(a)(b) and Rule 6.10.25(a)(b)(c)(d)(e).

7) Is the proposed use of water is consistent with the District's Groundwater Water Management Plan related to the approved DFC and the defined available groundwater for permitting?

The District's Management Plan reflects a groundwater availability figure in the Middle Trinity Aquifer of 1099 ac-ft/year Modeled Available Groundwater (then reserve 548 ac-ft/year for exempt well use) thus 551 ac-ft/year is the Managed Available Groundwater for permitting.

The Board, per the District Management Plan, has evaluated groundwater available for permitting the Middle Trinity Aquifer and most recently evaluated the available groundwater for permitting (consistent with the management plan as stated on pages 9-10).

The requested permit amount relative to the modeled available groundwater MAG determined by the Texas Water Development Board (TWDB) based on the desired future conditions (DFCs) established by the District for the Middle Trinity Aquifer was set by CUWCD based on 137-ft of drawdown over 60 yrs. This was reviewed and again approved by the board in January 2019. To achieve this DFC, the TWDB used a model that indicated the MAG was equal to 1099 acre-feet per year from the Middle Trinity.

A summary of YTD 2022 permit production, HEUP & OP Permit Analysis, pending applications, and *Exempt Well Reservations for the Middle Trinity, per District Report illustrates current Middle Trinity Aquifer permits total 471.669 ac-ft/year. Currently, the District has a pending permit of 23.75 ac-ft/year, thus available for permitting is only 79.72 acre-feet/year. (see attached Middle Trinity Aquifer Status Report, April 2022).

8) What are the Modeled Available Groundwater calculations determined by the Executive Administrator of the Texas Water Development Board?

Refer to #7 above. The modeled available groundwater will not be exceeded by granting this permit. (see attached Middle Trinity Aquifer Status Report, April 2022).

9) What has the Executive Administrator of the Texas Water Development Board's estimate of the current and projected amount of groundwater produced under the exemptions in District Rule 8.3?

Refer to #7 above. Reservation of Modeled available groundwater for <u>exempt well</u> use will not be exceeded by granting this permit. 548 ac-ft/year vs 512 ac-ft estimated to be used annually in the Middle Trinity. (see 2021 district exempt use report)

10) What is the amount of groundwater authorized under permits previously issued by the District?

Refer to #7 above. Existing permits do not exceed the managed available groundwater (modeled available groundwater – exempt well use = Managed Available Groundwater) for the Middle Trinity Aquifer which is 551 ac-ft per year.

What is the reasonable estimate of the amount of groundwater that is produced annually under existing non-exempt permits issued by the District?

The total permitted amounts for non-exempt wells in the Middle Trinity Aquifer in 2021 was 471.669 ac-feet/yr and the actual production in 2020 was 67.37 ac-ft/yr (14.28%) of the permitted amount. (Figures are based upon monthly production reports submitted to Clearwater by the permit holders in 2021).

12) Yearly precipitation and production patterns.

Clearwater is currently in no drought management stage based on the PDI system (average running total annual rainfall) over the Aquifer in the District, is currently at <u>31.959</u> inches of rain received in the last 365 days (5-6-2022) thus 98.85% of annual expected rainfall of 33 inches. The Middle Trinity permit holders in all of 2021 have used only 14.28% of the total permitted amounts in the Aquifer. Permit holders did not exceed their total permitted amounts in 2020 or 2021.

The gravity of the current drought is reminiscent of the epic drought of 2011-2013, the significant drought in 2018, and again in the summer of 2020. The current drought trends do necessitate the need for all permit applications to be evaluated based on conservative needs and usage that are not contradicted by the current voluntary drought contingency plan stage.

Conclusions and Recommendations:

- 1) District GM recommends that the Board approve the permit for the one well for the purpose of the domestic use but discuss the amount of groundwater requested for landscape and gardening.
- 2) District GM concurs with Keester that the following conditions for the well's construction and for limiting this application permit necessary for the following:
 - To assess actual changes in water levels due to pumping from the proposed well and regional water level declines, the pump installer shall install a measuring tube alongside the column pipe to allow for measurement of the water level using an e-line or other direct measurement method.
 - The pump installer shall install a metering device for monthly online reporting of production to confirm the applicant does not exceed the approved amount of production.

Attachments are as follows:

Keester PG Technical Memorandum	05/05/2022
CUWCD Trinity Aquifer Status Report	04/13/2022
CUWCD 2021 Exempt Well Estimate of Use Report	12/31/2021
CUWCD Site Map	See Attached
Applications, fees and Notification Affidavit	See Attached

_	FC Analysis Ovel (2000-Presen Iodeled Available Groui	t)		nd OP Perr to the Model Groundwat		<u>Tota</u> Jan 498.6	2 YTD I Prod. - Mar 55 Ac-ft 51%		nding cations	<u>Exemp</u> i	t Well Rese	ervations
Trinity Aquifer (by layer)	DFC Adopted * Average Drawdown (by layer)	MAG ** Ac-ft	HEUP Ac-ft (by layer)	OP Ac-ft (by layer)	Total Permitted Ac-ft (by layer)	2021 YTD Prod. (by layer)	2022 YTD Prod. (by layer)	Available for Permitting Ac-ft (by layer)	Pending Applications Ac-ft (by layer)	Exempt Well Reserve Ac-ft (by layer)	2021 Exempt Well Use Estimate Ac-ft (by layer)	Available Exempt Use Ac-ft (by layer)
Pawluxy	NA	0	0	0	0	0	0	0	0		(by layer)	0
Glen Rose (upper)	- 1.38 ft/yr -83 ft/60 yrs	974	61.9	72.14	134.04	18.70	1.14	146.96	0	693	221	472
Hensell (middle)	- 2.28 ft/yr -137 ft/60 yrs	1099	259.3	212.369	471.669	67.37	12.39	79.72	***5.00	548	516	32
Hosston (lower)	- 5.50 ft/yr -330 ft/60 yrs	7193	1181.4	2957.62	4139.02	1619.53	485.12	2875.98	0	178	56	122
Total		9266	1502.6	3242.129	4744.729	1705.6 (35.95%)	498.65 (10.51%)	3102.66	5.00	1419	793	626

^{*}Desired Future Conditions (DFC) is the description of how the aquifer should look in the future (60 years).

Rancho Vista Phase 2 N2-21-008P (5.00 ac-ft/yr)

^{**}The Modeled Available Groundwater (MAG) is the estimated amount of water available for permitting assigned to Clearwater UWCD by the Executive Administrator of TWDB.

^{***}Pending applications



CUWCD Exempt Well Use Summary

۸.	af.	5/6	120	22
AS	OI.	3/0	ΙZU	~~

Aquifer	Total Active Registered Exempt Wells ³	Registered Domestic Wells	Estimated Domestic Use Gallons/Day ^{1,2}	Estimated Domestic Use Ac- ft/Year ^{1,2}	Registered Stock Wells	Estimated Stock Use Gallons/Day4	Estimated Stock Use Ac-ft/Year ⁴	Total Estimated Use Gallons/Day ⁷	Total Estimated Exempt Well Use Ac-ft/Year ⁷	MAG Reserved
Glen Rose (Upper Trinity)	501	412	120,535	135	89	76,896	86	197,431	221	Well Use
Hensell (Middle Trinity)	944	886	410,132	459	58	50,112	56	460.244	516	AAGII OSE
Hosston (Lower Trinity)	149	138	40,373	45	11	9,504	1 3 mars 1 1 mg . 111	49,877	56	
Trinity (Total) ⁶	1,594	1,436	571,040	640	158	136,512	153	707,552	793	1,41
Edwards BFZ	833	704	205,962	231	129	111,456	125	317,418	356	82
Edwards Equivalent	489	390	114,098	128	99	85,536	96	199,634	224	
Buda	28	15	4,388	5	13	11,232	13	15,620	17	
Lake Waco	8	3	878	1	5	4,320	5	5,198	6	
Austin Chalk	225	141	41,251	46	84	72,576	81	113,827	128	-385
Ozan	162	114	33,352	37.	48	41,472	46	74,824	84	1 STEEL
Pecan Gap	67	44	12,873	14	23	19,872	22	32,745	37	100
Kemp	15	11	3,218	4	4	3,456	4	6,674	7	100000
Alluvium	592	379	110,880	124	213	184,032	206	294,912	330	
Other ⁵	1,586	1,097	320,938	359	489	422,496	473	743,434	833	
CUWCD Total Active	4,013	3,237	1,097,941	1,230	776	670,464	751	1,768,405	1,981	

- 1. Domestic use estimate assumes 106 gallons/person per day (USGS estimate of domestic use outside of a municipal water system) and 2.76 persons/household (U.S. Census Bureau, Population Estimates Program (PEP) July 1, 2019)
- 2. Benjamin G. Wherley, Ph.D. Associate Professor-Turfgrass Science & Ecology Dept. of Soil and Crop Sciences Texas A&M University estimate of 2,000ft² warm season turfgrass requires 38,855gal/yr/lawn or 106gal/day/lawn; "Ranchette" Avg. lawn size is 13,042ft², 6.5X larger; 6.5 X 106gal/day/lawn; 689gal/day/lawn; ~217 "Ranchette" Middle Trinity Wells; 689 X 217=an additional 150,924gal/day/lawn; 490ac-ft/yr or an 89% increase in Middle Trinity exempt well use from the 2018 estimate of 258ac-ft/yr.
- 3. Exempt well use estimate factors out all plugged, capped, monitor and inactive wells in the database.
- 4. Source of stock water estimates is Texas Agrilife Extension @ 18 gallons water per day per cow. Livestock water use estimates are based on the 2017 Census of Agriculture, USDA National Agricultural Statistics Service. 36,868 cows / 771 stock wells= 48 cows/stock well; 48* 18gpd= 846 gal/day/stock well, 747ac-ft/yr or a 34% increase in annual stock use from the 2018 estimate of 556ac-ft/yr.
- 5. The "Other" designation is the total of minor aquifer and alluvium source designation of the exempt wells.
- 6. Trinity Aquifer wells registered with unknown depth are assigned to the Middle Trinity per Board decision.
- 7. All estimates of groundwater use by exempt well owners is based on assumptions and scientific data, but by no means are they to be interpreted as recommended practices by CUWCD.

Mike Keester, P.G. Review

GROUNDWATER RESOURCE PROFESSIONALS

9009 Mountain Ridge Dr • Suite 100 • Austin Texas 78759 • ph (512) 345-2379 • fax (512) 338-9372

TECHNICAL MEMORANDUM

To:

Dirk Aaron, General Manager – Clearwater Underground Water Conservation

District

From:

Michael R. Keester, PG – R. W. Harden & Associates, Inc.

Date:

May 5, 2022

Subject: Hydrogeologic Evaluation of the Dahl Well (N1-22-001P) Permit Application

Proposed Well ID: N1-22-001P

Well Owner Name: Bjorn Dahl

Tract Size: 6 Acres

Column Pipe Size: 1.25 Inches

Aquifer: *Middle Trinity*

Proposed Annual Production: 0.75 Acre-Feet per Year

Proposed Instantaneous Pumping Rate: 15 Gallons per Minute

The applicant indicated the proposed well will have a pumping rate of 15 gallons per minute and an annual production amount of 0.75 acre-feet per year. The proposed well is intended to serve as a source for domestic supply at a projected annual usage of 0.389 acre-feet per year and landscape irrigation for an annual usage of 0.361 acre-feet per year. Total projected annual production is 0.75 acre-feet

The identified source for the proposed use is the Middle Trinity Aquifer. According to the District's geologic database, the top of the Middle Trinity is about 980 feet below ground level and about 70 feet thick at the proposed well location. Kelley and others (2014) indicate the Middle Trinity Aquifer transmissivity is about 1,300 gallons per day per foot (gpd/ft) with a storage coefficient of 0.00007 (unitless) based on the thickness of the aquifer. For our analysis of potential drawdown due to the proposed production, we used the transmissivity and storativity values from the groundwater availability model to assess the potential drawdown at existing wells completed in the Middle Trinity Aquifer located up to 2 miles from the proposed well ().

The potential effects of the proposed production on local water levels in the aquifer are calculated using the Theis equation (Theis, 1935), which relates water level decline (that is, drawdown) to the pumping rate of a well and properties of the aquifer. While the equation does not account for aquifer conditions which may affect the calculation of long-term water level declines (for example: aquifer recharge, faulting, or changes in aquifer structure), it does provide a very good, reliable, and straightforward method for estimating relatively short-term drawdown in and near a well due to pumping. As the duration of pumping and distance from the well increase, the uncertainty in the calculated drawdown also increases. To assess the potential effects from the proposed production, the equation uses values from the groundwater availability model datasets.




Figure 1. The proposed well and existing Middle Trinity Aquifer wells within 2 miles of the proposed well. Detailed information for each well shown is available through the District's website (https://cuwcd.org/).

Table 1 presents the calculated drawdown based on the proposed annual production rate of 0.75 acre-feet per year from the proposed well. For *1-Day Drawdown*, we applied the proposed instantaneous pumping rate of 15 gallons per minute for a period of 24 hours. For *30-Day Drawdown*, we assumed peak pumping during the summer of about 15 percent more than the average monthly amount (that is, the proposed annual production rate divided by 12 then multiplied by 1.15). For *1-Year Drawdown*, we used the proposed annual production amount.

Table 1. Calculated drawdown at the proposed well and other nearby wells completed in the Middle Trinity Aquifer based on an annual production rate of 0.75 acre-feet from the proposed and simulated wells and instantaneous production of 15 gallons per minute.

CUWCD Well ID	Distance from Proposed Well (feet)	1-Day Drawdown (feet)	30-Day Drawdown (feet)	1-Year Drawdown (feet)
N1-22-001P (Dahl Well)		20	Negligible	Negligible
E-02-058G	8,616	Negligible	Negligible	Negligible

The predicted drawdown amounts are based on our current understanding of the aquifer hydraulic properties and the estimated production from the proposed well and simulated wells. The predicted drawdown values presented do not include the effects from other wells pumping near the proposed well. Predicted drawdown of less than one foot is considered negligible for analysis purposes due to inherent uncertainty in the aquifer hydraulic characteristics.

The projected drawdown values using the transmissivity and storativity from the groundwater availability model result in a 1-day drawdown of 20 feet at the proposed well with negligible drawdown at the nearest existing Middle Trinity well. Estimated long-term drawdown at the projected and nearest well is negligible.

CWUCD has collected water level measurements in a nearby Middle Trinity well (N1-09-003P) since 2016 and water levels have declined by about 3 feet per year. It should be noted that, regionally, water levels were higher than normal during that time due to the wet conditions in 2015. Some minor fluctuations in water level in the aquifer will be due to expected wet and dry conditions. Using this water level and the CUWCD geologic database, the Middle Trinity Aquifer in this region has an estimated 400 feet of artesian pressure and the proposed production will not inhibit use of the groundwater resource by others.

Conclusions and Recommendations

The proposed well will primarily be impacted by the short-term production. The nearest existing well may experience less than one foot (that is, negligible) drawdown due to the annual production. The Middle Trinity in the area has approximately 400 feet of artesian pressure and with a negligible amount of long-term drawdown, the proposed well should be able to produce the proposed amount without significant impact on water levels. Continued water level monitoring will aid in assessing the long-term effects of cumulative groundwater production in the area.

We recommend the following conditions for the well and/or permit:

- To assess actual changes in water levels due to pumping from the proposed well and regional water level declines, the pump installer shall install a measuring tube alongside the column pipe to allow for measurement of the water level using an e-line or other direct measurement method.
- In addition, the pump installer shall install a metering device for monthly on-line reporting of production.
- Work with the District to obtain a geophysical log (at a minimum, gamma ray, spontaneous potential, and resistivity curves) of the open borehole to delineate the subsurface stratigraphy.


References

Kelley, V.A., Ewing, J., Jones, T.L., Young, S.C., Deeds, N., and Hamlin, S., eds., 2014, Updated Groundwater Availability Model of the Northern Trinity and Woodbine Aquifers: Vol 1, Austin, Texas, Intera, 990 p.

Theis, C.V., 1935, The Relation Between the Lowering of the Piezometric Surface and the Rate and Duration of Discharge of a Well Using Ground-Water Storage: American Geophysical Union Transactions, v. 16, p. 519-524.

Geoscientist Seal

The signature and seal appearing on this document was authorized by Michael R. Keester, P.G. on May 5, 2022. R.W. Harden & Associates Texas Board of Professional Geoscientist Firm Registration Number 50033.






Radius Map Notification



CUWCD Map N1-22-001P Dahl Radius Map

Created: April 14th 2022, 10:07am



N1-22-001P Contact List

Wells 1/4 Mile	No wells in 1/4 mile		· · · · · · · · · · · · · · · · · · ·		<u>-</u>						
Prop ID	<u>Name</u>	<u>Address</u>	<u>City</u>	<u>State</u>	<u>Zip</u>	Well #	<u>Status</u>	<u>Depth</u>	<u>Aquifer</u>	<u>Use</u>	Distance
Wells 1/2 Mile 151875	Sherry & Allen Stewart	8022 Cedar Creek Rd	Temple	TX	76504	E-02-3429G	Active	1000	Upper Trinity	Domestic	2,228 ft
Adjacent Proper 475588 36506	<mark>rty</mark> Joel & Kayla Kelley James & Michelle Redden	10861 W State Highway 36	Temple	TX	76502						
21473	James & Michelle Redden	8351 Cedar Creek Rd 8351 Cedar Creek Rd	Temple Temple	TX TX	76504 76504						
410211	US Government Bureau of Land Management	SSE SEEL STEER NO	Washington	DC	20013						
410208	US Government Bureau of Land Management		Washington	DC	20013						

April 14, 2022

NOTICE OF APPLICATION FOR DRILLING AND OPERATING PERMIT

Name Address City, TX Zip

VIA CERTIFIED MAIL RETURN RECEIPT REQUESTED

RE: Application for a Combination Drilling/Operating Permit

To Whom It May Concern:

I, Bjorn Dahl, have submitted an application to the Clearwater Underground Water Conservation District (CUWCD) on March 24, 2022 for a combination drilling and operating permit on a new well (N1-22-001P) for 0.75 acre-feet or 244,388 gallons per year.

This permit will authorize the withdrawal from a well completed in the Middle Trinity Aquifer with a 1 ½ inch column pipe on a 6.00 acre tract located at 13115 State Highway 317, Temple, Texas, Latitude 31.17488°/Longitude -97.41298° (well# N1-22-001P), to produce water for domestic use in a proposed annual quantity not to exceed 0.75 acre-feet or 244,388 gallons per year total.

This application will be set for hearing before the CUWCD Board upon notice posted at the Bell County Clerk's Office and at the CUWCD Office. If you would like to support, protest, or provide comments on this application, you must appear at the hearing and comply with District Rule 6.10. For additional information about this application or the permitting process, please contact the CUWCD at 700 Kennedy Court, Belton, Texas 76513, 254-933-0120. The applicant may be contacted at 13115 State Highway 317, Temple, TX 76504, or by phone at 254-733-5591.

Sincerely,

Bjorn Dahl

N1-22-001P Bjorn Dahl Certified Mail Receipts

			® RECEI	
F 15	lalivory ir	formation, visit	our website at v	
N.		TX 76504		0513
220 20 20 20	Return Receipt (Return Receipt (Certified Mail Re	electronic) estricted Delivery \$.	_\$ <u>Û.ÛÛ</u> _\$ <u>Û.ÛÛ</u> _* <u>Û.ÛÛ</u>	Postmark Here
	Adult Signature outage otal Postage	\$0.58		04/16/2022
17	(a)	\$7.38		scholl Redden
		No., or PO Bo	James & N 8351 Ceda Temple, T	Michell Redden ar Creek Rd X 76504
T	City, State, Zil	2015 PSI	22 000-9047	See Reverse for Instruction

NOTICE OF APPLICATION FOR A COMBINATION DRILLING AND OPERATING PERMIT FROM CLEARWATER UNDERGROUND WATER CONSERVATION DISTRICT

Bjorn Dahl has submitted an application to the Clearwater Underground Water Conservation District (CUWCD) on March 24, 2022 for a combination drilling and operating permit to authorize drilling and withdrawal from a proposed new well.

This permit will authorize the withdrawal from a new well completed in the Middle Trinity Aquifer with a 1 1/4 inch column pipe on a 6.00 acre tract located at 13115 State Highway 317, Temple, Texas, Latitude 31.17488°/Longitude -97.41298° (well# N1-22-001P), to produce water for domestic use in a proposed annual quantity not to exceed 0.75 acre-feet or 244,388 gallons per year total.

This application will be set for hearing before the CUWCD Board upon notice posted at the Bell County Clerk's Office and at the CUWCD Office. If you would like to support, protest, or provide comments on this application, you must appear at the hearing and comply with District Rule 6.10. For additional information about this application or the permitting process, please contact the CUWCD at 700 Kennedy Court, Belton, Texas 76513, 254-933-0120. The applicant may be contacted at 13115 State Highway 317, Temple, TX 76504, or by phone at 254-733-5591.

Publisher's Affidavit

State of Texas County of Bell

Before Me, The Undersigned Authority, this day personally appeared <u>Jane Moon</u> after being by me duly sworn, says that she is the <u>Classified Manager Inside Sales</u> of the Temple Daily Telegram, a newspaper published in Bell County, Texas and that the stated advertisement was published in said newspaper on the following date(s):

April 20, 2022

For: Bjorn Dahl Ad #: 16675732 Ad cost: \$125.80 Times Published: 1

Jane Moon


Classified Manager Inside Sales

INLY MOON

Subscribed and sworn to before me, this day: April 22, 2022

Notary Public in and for Bell County, Texas

(Seal)



NOTICE OF APPLICATION FOR A COMBINATION DRILLING AND OPERATING PERMIT FROM CLEARWATER UNDERGROUND WATER CONSERVATION DISTRICT

Biern Dahl has submitted an application to the Clear water Underground Water Contervation District (COWCD) on March 24, 1922, for a combination dealing and operating normit to authorize drilling and withdrawal from a proposed new well.

This permit will putherize the withdrawal from a new well completed in the Middle Trinity Agailst with a 1 M-inch column pine on a 6.00 acre frost recorded of 13115 State Highlyway 317, Temple, 1843, Lofflydd 11745 (1991), 1991,

This application will be set for nearing before the CUWCD Beard upon notice costed at the Bell County Clerk's Office and at the CUWCD Office. If you would like to support, protest, or provide comments on this application, you must appear at the hearing and comply with District Rule 6.10. For additional intermation about this application or the permitting process, olease contact the CUWCD at 726 Kenedy Court, Bellion, Tecos. 76513, 724-933-0179. The applicant may be contracted at 13115 State Highway 317, Tempte, 1X 76594, or by phone at 254-733-5591.

CROSSWORD By THOMAS JOSEPH ACE POI 39 Exploding ACROSS 40 Bert's marks 6 Ticket half buddy 10 Extreme 41 Dance pain 11 Like new 42 Intended pennies DOWN Yesterday's answe 12 Enticed 13 Words to 1 Discuss 9 Already 27 Put down 11 With 28 Procras-tinator's 2 Big a hitcher Sitatos Cutina..., short 15 Old hand school 15 Old hand 4 Pants part 17 Security 29 Succo-tash has had a Silver I lizards 14 Citizen 15 Magic word 16 Binary clip-ons tash half 20 Research 30 Silver bar Floyd 6 Oxford d git 17 Hot blood setting 21 Pester 31 Audacity 35 Take in 24 Big Sky 18 Evergreen e.g. 7 Slightly 36 Royal setting shrub 25 Give the address 19 Collapse 22 Tnick 38 Rep.'s oath of office to together slice 23 Blocks 26 Debutante's wear 29 Storage spot 32 Calendar box 33 Role for Keanu 36 ERA or RBI 37 Concur 38 Personal

(254) 778-4444 10 South 3rd Street Temple, Texas 76501

record

TEMPLE DAILY TELEGRAM

©Puzzles by Pappocom

			3				
7	8	6	9			4	
			4				5
			7				2
2	3	4		8	5		6
	7					1	
	6						9
	2						3
1	9	2	6	3	7	5	4
		2 3 7 6 2	2 3 4 7 6 2	7 8 6 9	7 8 6 9	7 8 6 9	7 8 6 9 4

Juffculty Level ★★★

How to Play:

Using the numbers provided, complete os in the fundas provided column, and 3x3 square contains the numbers 1-9 without duplications. Find solutions tips and computer program at Yesterday's Solution vww.sudoku.com

AXYDLBAAXR is LONGFELLOW

One letter stands for another. In this sample, A is used for the three Us. X for the two O's, etc. Single letters, apostrophes, the length and formation of the words are all hints. Each day the code letters are different. 4-20

CRYPTOOUTE

SZT URTOPTYS DOV JCSH SZT

QCIXTPYT JY SZPHQBZ O LHPTYS

Yesterday's Cryptoquete IT'S DIFFICULT TO THINK ANYTHING BUT PLEASANT THOUGHTS WHILE EATING A HOMEGROWN TOMATO. — LEWIS GRIZZARD

(a) (b) TEMPLE DAILY TELEGRAM





Employment

Medical 131

254-778-4444



Temple

Daily

Telegram

(254)778-4444 AD INDEX

ERRORS

OFFICE HOURS

DEADLINE

(254) 778-4444

Garage Sales?

Classifieds!

torrens com class fieds

These featured ads are running for the 1st Time today!

In Home Care Givers Needed Touris du citio de 400 1 ne 4 Nei de aconsidor Di 1 de not de Di 1 de nota Terrode Terrode TA 1983 CAUL CLASS FIED (224) 778 4444

Real

Estate

Rentals

Apartments 9

EFFICIENCIES
Bills Paid, Furnished,
Ramona Courtyard
Near VA. From \$495
254-778-1374
Eat Free Nearby

LOOK!

FURNISHED EFFICIEN-DIES Flat Screen TVs Full Kitchen, Free: Cable Internet, Bills Paid, No

Panch House Inn 773-0114

1031 Radia Controlled A rolling Lyth in dolon Other port off Hermidons No. In Shory III Rodd Yolko

Announce-

ments

NOTICE OF CONSTABLE SALE THE STATE OF TEXAS COUNTY OF BELL

SHERRY L KIRSON BADW SO THE S NOLTH HAWLITCH ANDERSON III. SEFECTION S

5 Public Molices 30

JOHNSON BROS FORD 168 South General Bross Tendia Propinsi

* BINGO * VFW Post #4008 Belton AER AFTERNOOM FRIDAY AFTERNOONS SUNDAY AFTERNOONS

I wonder what

that one says

TEMPLE DAILY

TELEGRAM

Lost & Found 31

Business & Services

lisc. Services 55 Fruck Drivers 130 Now Hiring a Class A CDL driver with a good driving record. Hiring locally for Jarrell. TX area. For further information 11 a 343-11 44 please call 512-746-5800 or 254-760-6957.

Building, Home Maint.

Landscaping, 82

FIND IT

In Home Care Givers Needed

General 132 O SUBWAY O

¥

254-778-4444

Advertising and Marketing Account



Executive

Houses Unfermished 14 Book to for a rental home? 254-771-2228 www.lvrmgt.com

OTICE OF APPLICATION FOR A COMBINATION ORILLING AND OPERATING PERMIT FROM CLEARWATER UNDERGROUND WATER CONSERVATION DISTRICT

Rentals **Commercial Property**

For Lease

CONVENIENTLY LOCATED IN DOWNTOWN TEMPLE

7,700 total sq. ft. available including Suitable for light industrial usage Rear Loading Dock with overhead doors front/back

High visibility on corner lot with access from Central Ave and 7th St.

Convenient off-street customer parking

254-774-5204

Selling your

Advertise it in the Classifieds!

LEMPLE DAILY TELEGRAM

To now woom medican lodg componing the Clear independant women. Commencend Distri-ción Modern De 2000 for a componing de logerante permit no componing de la paga internal proposad new ex

TENRUE TOA NO N ORDERO ON FOR AN

Brace 13 feet Treater Characters of Security and Select

The Temple Daily Telegram, the Temple-Belton area's all source for local news and information, has an opening for a business-to-business marketing consultant to join our team. This position will take over an established territory of Temple. area bus resses if you have a great attitude and energy, we want to talk to you. Sales experience preferred, but we will train the right candidate.

Our account executives are sales professionals with excellant customer service skills and the drive to succeed. They work with local businesses, offering leading print and digital matheting solutions that will help grow their businesses and

This position includes servicing and selling an established customer base, as well as developing and maintaining rela-tionships with new and future customers. The post-on-includes a base salary, commissions and com-petitive benefits including company, paid health insurance.

To apply: email your resume to Dave Hedge at dhedge ≩tdtnews.com or see our job listing at www.jobscentraltexas.com



One Job. In print and online. 14 days.

\$175<u>00</u>

YOUR AD INCLUDES:
- Bold Heading
- 25 Words

Your Logo
 Temple Daily Telegram
 TDTnews.com
 Fort Hood Sentinel
 CentralTexasJobs.com

BONUS:

CARRESO 254-222-2332 FREE

254

778-4444

Now Hiring

How much is your open job costing you?

CALL RUN TODAY TOMORROW